

Classroom Training

Curved Computer Training Desk




800-730-6682
novadesk.com



ADA Compliant
Options Available



Model Number Structure



Dimensions



- Available Sizes: 48ft, 60ft, & 72ft Arc*
- *Custom Arcs Available
- To specify an ADA Height unit, change height from 30 to 32 in model number.

Single Desks:

- Depth Options: 24" / 26" / 30"
- Width Options: 32-1/8" / 36-1/8" / 42-1/8"
- Height Options: 30" / 32" (ADA Height Compliant)

Double Desks:

- Depth Options: 24" / 26" / 30"
- Width Options: 63" / 71"
- Height Options: 30" / 32" (ADA Height Compliant)






Features:

- Solutions for a wide variety of environments
- Visual Display Options available
 - ADA compliant available
- Thermofused Melamine Worksurface
- iMod™ compartment with removable modesty panels (locking optional; Available in laminate or metal) for easy wire management
- Wire management system and power strip included per user
 - CPU shelf
- Manufactured with recycled post-industrial material
 - Ships assembled
- Proudly made in the USA

48 ft. Radius Arc

60 ft. Radius Arc

72 ft. Radius Arc



To specify a 48-ft. Radius Arc desk, add -48 to end of model no. (Ex. 46-CM246330RX48)

To specify a 60-ft. Radius Arc desk, add -60 to end of model no. (Ex. 46-CM246330RX60)

To specify a 72-ft. Radius Arc desk, add -72 to end of model no. (Ex. 46-CM246330RX72)

Color Options

Base Color Options




Worksurface Color Options




Metallic Color Options (for Metal Modesty)



Modesty Panel Options



Laminate Modesty Panel



Perforated Metal Modesty Panel

Also Available with these Visual Display Options



Trolley™ Monitor Lift With the press of a button, the display emerges from its fully recessed compartment beneath the work surface while the patented access door provides a clean, uncluttered work space.



Downview™ The fully-adjustable arm allows for easy, under desk mounting of any flat panel display with all the benefits of the ergonomically proven Downward Gaze viewing angle.



Articulating Surface Mount Arm The Articulating Surface Arm provides an adjustable and secure mounting solution for computer monitors



Surface Mount Arm The Surface Mount Arm attaches to the underside of the work surface and provides limited adjustability of the flat panel display.

Options & Accessories

Please Note: All items on this page must be Field installed.

Options for Curved Computer Training Desks

Contoured end panels



To specify contoured end panels, add "-S" to the end of model number.
Not available on desks with Locking Door option (-D)

Casters



To add casters, add "-C" to the end of model number.
Includes stabilization bracket.

Locking CPU Door



To specify a locking CPU Door, replace "X" in the model number with "D"

Example: 46-SM243630RX becomes 46-SM243630RD

- Not available on desks 30", 32", or 63" wide
- Not available in combination with Contoured End Panels (-S)
- Deduct 1 1/2" from CPU width
- Locking iMod™ modesty automatically paired with locking CPU door.

No Powerstrip

Powerstrip included in all desks by default, to remove, add "-X" to the end of model number.

Locking iMod™ Modesty




To add locking iMod™ modesty, add "-L" to the end of model number. (Locking Modesty automatically paired with Locking CPU Door).

- Available in both Laminate or Perforated Metal

Factory Installed Accessories

Factory Installed NOVA Keyboard



Keyboard length to fit desk ordered.
Only ordered when NO Visual Display Option is chosen.
Model Number: NK

Pop-up Power/Data Center



One grounded outlet. One opening for voice/data jack. Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of manufacturers. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed.
Model Number: 11225PD

Rectangular Wire Grommet



Rectangular black plastic grommet cover is removable for easy wire management.
Model Number: WG1080

Pop-up Power/USB Charging Center



One grounded outlet. One USB charging duplex. Fluid one touch accessibility. 6ft, 15 Amp cord. UL Listed.
Model Number: 11225PC

Round Power Center



One grounded outlet. 6Ft, 15 Amp cord. UL Listed
Model Number: 3825P

Round Flush Power Center



Two grounded outlets. Clean, flush mount. 6ft, 15 Amp cord. UL Listed
Model Number: 3359PP

Star Cut Wire Grommet



Round black plastic grommet with rubber star cut opening allows more cords and cables to pass through.
Model Number: RWGSC

Pop-up Power Center



Two grounded outlets. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed.
Model Number: 11225PP

Round Flush Power/USB Charging Center



One grounded outlet. One USB charging duplex. Clean, flush mount. 6ft, 15 Amp cord. UL Listed
Model Number: 3359PC



800-730-6682

novadesk.com