

# Seated Height AV Lecterns

## Locking CPU Door



### Model Number Structure

66 - LS

306030

LD

Series

66=Lectern

Type

SS= Seated Height  
Lectern

Size

D x W x H

Modesty Combination for

Laminate modesty

LD=Laminate modesty panels &  
CPU compartment with door

Modesty Combination for  
Perforated Metal modesty

MD=Metal modesty & CPU  
compartment with door



(217) 342-7070

www.novadesk.com

sales@novasolutionsinc.com

# Seated Height AV Lecterns

## 1. Select model number

Ex: 66-LS306030LX


(30x60x30 Seated Height Lectern with Locking CPU Door laminate modesty)

## 2. Select laminate color for base and worksurface

**If ordering with perforated metal modesty, select metal color**

**Note:** Laminate modesty will match base color.

Ex: 567      567  
Base      Worksurface



| D x W x H (in.)                         | ft <sup>3</sup> / lbs | Model         |
|---|-----------------------|---------------|
| Locking CPU door. CPU storage width: 8" |                       |               |
| <b>Laminate Modesty</b>                 |                       |               |
| 26 x 62 3/16 x 36.2 / 255               |                       | 66-LS266030LD |
| 30 x 62 3/16 x 41.4 / 267               |                       | 66-LS306030LD |
| <b>Perforated Metal Modesty</b>         |                       |               |
| 26 x 62 3/16 x 36.2 / 255               |                       | 66-LS266030MD |
| 30 x 62 3/16 x 41.4 / 267               |                       | 66-LS306030MD |

### Laminate Modesty

26 x 62 3/16 x 36.2 / 255      66-LS266030LD

30 x 62 3/16 x 41.4 / 267      66-LS306030LD

### Perforated Metal Modesty

26 x 62 3/16 x 36.2 / 255      66-LS266030MD

30 x 62 3/16 x 41.4 / 267      66-LS306030MD

## Standard Features

- iMod™ wire management
- Powerstrip
- Laminate or metal modesty panel
- 14 RU rack rail storage in the right compartment (available with a rack cube)
- Ships Fully Assembled

## Color Options

### Base Color Options



WALNUT  
(537)



EMPIRE  
MAHOGANY  
(531)



WILD  
CHERRY  
(567)



FUSION  
MAPLE  
(560)



WHITE  
(664)



FASHION  
GREY  
(227)



SILVER  
(N99)



SLATE  
GREY  
(129)



BLACK  
(174)

### Worksurface Color Options



BLACK  
LODESTONE  
(N62)



SILVER  
(N99)



FUSION  
MAPLE  
(560)



WILD  
CHERRY  
(567)



WALNUT  
(537)



FASHION  
GREY  
(227)



WHITE  
(664)



GRAPHITE  
NEBULA  
(030)



GREY  
NEBULA  
(044)



EMPIRE  
MAHOGANY  
(531)

### Metallic Color Options (for Metal Modesty)



POLISHED  
BLACK  
(PBL)



POLISHED  
SILVER  
(PSL)



WHITE  
(WHT)




SLATE  
(SLL)


# Options & Accessories

## Factory Installed Accessories

**Must specify location of grommet / power center at time of order**

|   | Dimensions (in.)  | Model          |
|---|---|----------------|
| <b>NOVA Keyboard Drawer</b><br>                      | Keyboard length to fit desk ordered.<br>Only ordered when NO Visual Display Option is chosen<br><b>24" - 34" wide</b>   | <b>NK</b>      |
| <b>Rectangular Wire Grommet</b><br>                  | Rectangular black plastic grommet cover is removable for easy wire management<br><b>1 7/8" D x 3 1/4" W</b>   | <b>WG1080</b>  |
| <b>Star Cut Wire Grommet</b><br>                     | Round black plastic grommet with rubber star cut opening allows more cords and cables to pass through<br><b>2 3/4" Diameter</b>   | <b>RWGSC</b>   |
| <b>Pop-up Power Center</b><br>                       | Two grounded outlets. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed.<br><b>3 3/4" D x 5" W</b>   | <b>11225PP</b> |
| <b>Pop-up Power / Data Center</b><br>               | One grounded outlet. One opening for voice/data jack. Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of manufacturers. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed.<br><b>3 3/4" D x 5" W</b> | <b>11225PD</b> |
| <b>Pop-up Power / USB Charging Center</b><br>      | One grounded outlet. One USB charging duplex. Fluid one touch accessibility. 6ft, 15 Amp cord. UL Listed.<br><b>3 3/4" D x 5" W</b>   | <b>11225PC</b> |
| <b>Round Flush Power Center</b><br>                | Two grounded outlets. Clean, flush mount. 6ft, 15 Amp cord. UL listed.<br><b>4" Diameter</b>  | <b>3359PP</b>  |
| <b>Round Flush Power / USB Charging Center</b><br> | One grounded outlet. One USB charging duplex. Clean, flush mount. 6ft, 15 Amp cord. UL Listed.<br><b>4" Diameter</b>  | <b>3359PC</b>  |
| <b>Round Power Center</b><br>                      | One grounded outlet. Features spill-proof technology. 6ft, 15 Amp cord. UL Listed.<br><b>2" Diameter</b>  | <b>3825P</b>   |

## Options for Lecterns



**Surface Mount Arm**  
 Maximum Weight: 21 lbs  
 Maximum Dimensions: Up to 24" widescreen

**Model Wt(lbs) Description**

### With NOVA Keyboard Drawer

NOVA Keyboard Drawer installed in assembled units only.




**Articulating Surface Mount Arm**  
 Maximum Weight: 33 lbs  
 Maximum Dimensions: Up to 35" widescreen

**SMA0203NK 13 SMA & NOVA Keyboard Drawer**


**ASMA0203NK 22 Articulating SMA & NOVA Keyboard Drawer**

#### Flip-up Shelf



| D x W x H (in.)   | ft <sup>3</sup> / lbs | Model               | List Price |
|---|-----------------------|---------------------|------------|
| <b>Field installed on all but Sit-Stand Lecterns. Shipped Separately. Color matches worksurface of lectern ordered. Located 3" down from worksurface. For factory prep, must specify "U" on lectern model number for left-handed, or "V" on lectern model number for right-handed placement, or "B" on lectern model number for both left and right hand placement.</b> |                       |                     |            |
| <b>For 21" D or 24" D Lectern:</b>  |                       |                     |            |
| Attaches to the LEFT side panel of Lectern<br>20 x 20 x 1   | 0.9 / 24              | <b>66-SH202001L</b> |            |
| Attaches to the RIGHT side panel of Lectern   |                       |                     |            |
| <b>For 26" D, 30" D or 36" D Lectern:</b>   |                       |                     |            |
| Attaches to the LEFT side panel of Lecterns<br>22 x 20 x 1  | 1.0 / 24              | <b>66-SH222001L</b> |            |
| Attaches to the RIGHT side panel of Lecterns<br>22 x 20 x 1   | 1.0 / 24              | <b>66-SH222001R</b> |            |


#### 2 Space Rack Drawer



Attaches to rack rails. Takes up 2 RU space. 50 lb. weight capacity.

**20 x 15 x 3 1/2 10.4 / 20 66-2DRAWER**


#### Sliding Shelf



Attaches to rack rails. 35 lb. weight capacity.

**20 x 15 x 1 10.4 / 15 66-SSHELF**


#### 2 Space Rack Shelf



Attaches to rack rails. Takes up 2 RU space. 50 lb. weight capacity.

**20 x 15 x 3 1/2 10.4 / 15 66-2SHELF**

#### Removable Console



Black laminate box (Customer to provide cutouts needed)

**11 x 15 x 6 2.0 / 20 66-CONSOLE01**


#### Ventilation Fan



115V fan rated at 57 CFM. 30 dBA. Add (-VF) on lectern model number to be factory installed. Must also specify cutout location on lectern.

**1 x 6 x 6 2.0 / 3 66-FAN**

#### Rack Cube



All metal construction providing front and rear Rack Rails allowing rack storage mounting prior to installation in rack storage compartment. Standard Black metal. Available with 6 RU - 14 RU; height varies by RU count. **Complete Model number replacing blank " \_ " with desired RU** (Ex: 66-RRCUBE10 - 10 RU Rack Cube). **NOTE:** If ordering with a lectern, specify "-RR" at end of lectern model number. (Ex: 66-LP303047LM-RR)

**19 1/8 x 19 1/2 x 19 1/2 Varies 66-RRCUBE\_**